Swing door fitting



- converts the SOMMER synoris to a swing door opener



Allows the installer to modify the Sommer synoris garage door opener to use on a swing door application by providing a fast and simple installation. The fitting fits easily onto the existing motor and allows swing doors to open up to a nine foot door opening.

Included are the swing arms and all fittings for the installation. The openers safety photo eyes will properly work to ensure the right direction for the swing door operation.



Swing door fitting (item no.1501V000)

- Economical option for swing doors
- Converts the SOMMER synoris to a swing door opener
- Photo eyes work in proper direction for swing doors
- For doors up to 9 ft. opening
- Adjustable fitting

03/2010. Literal errors, errors and technical changes excepted



Visit our homepage: www.sommer-usa.com


SOMMER USA, Inc.


3308-C Oak Lake Blvd. • Charlotte, NC 28208


Toll Free: 877 - 766 - 6607 Phone: 704 - 424 - 5787 Fax: 704 - 424 - 7699 Mail: info@sommer-usa.com



Manual Swing Door Fitting no. 1501







Important modification

To allow the opener to work properly on a swing door, you have to modify the synoris

- -Remove carriage (motor) cover
- -Switch the blue (1) and brown (2) cable

Recommended additional Safety Hardware for the main closing edge


Vitector Fraba:

 Sensors (A)
 Art.No. 10007717-2
 OSE-S 1500

 Rubber Profile (B)
 Art.No. 75142050-2
 OSE-P 25 30 00

 Aluminum Profile (C)
 Art.No. 79221000-2
 ALU-2509

 Control Unit
 Art.No. 75111007-2
 OSE-C 1001



Fingersafe USA Inc.:

Fingersafe® is a door hinge guard that prevents fingers from being pinched or crushed at the hinged end of doors.

Fingersafe®USA (888) 346-4723 115 West Oglethorpe Ave. P.O. Box 8777 Savannah, Georgia 31412 Email: orders@fingersafe.com

